



Accurately Record Farm Visits

For vehicles that aren't equipped with GPS, use Farm Health Guardian GPS devices to automatically record visits and vehicle movement on and off farm properties.

TrackLight – Round



TrackLight – Oval



TrackLight – Round or Oval: Truck or Trailer Taillight


FEATURES

- 4G connectivity, with 3G fallback
- Completely covert; looks and functions the same as a normal LED taillight
- Easy installation using a standard hardshell plug, no extra wiring required
- IP67 rating (weatherproof and water resistant up to 1 m submerged)
- Out-of-the-box deployment
- Battery back-up provides up to 90 days of location reporting

DATA TRANSMISSION

- Real-time tracking with breadcrumb trails
- Default update interval: every 5 minutes when powered; every 15 minutes when unpowered and moving
- Optional update interval: every 1 minute when powered; every 15 minutes when unpowered and moving

TrackLight – Square Combo Light



TrackLight – Square Combo Light: Trailer Taillight

FEATURES

- 4G connectivity with 3G fallback
- Completely covert; looks and functions the same as a normal LED stop/turn/tail trailer light
- Easy installation; no cutting, drilling or splicing required
- IP67 (weatherproof and water resistant up to 1 m submerged)
- Out-of-the-box deployment
- Battery back-up provides up to 90 days of location reporting

DATA TRANSMISSION


- Real-time tracking with breadcrumb trails
- Default update interval: every 5 minutes when powered; every 15 minutes when unpowered and moving
- Optional update interval: every 1 minute when powered; every 15 minutes when unpowered and moving

Cable Adaptors for TrackLights

Standard 3-Pin Hard Shell
connector to 3PL female plug



Standard 3-Pin Hard Shell
connector to Grote 3 wire
90-degree male plug



Standard 3-Pin Hard Shell
connector for custom
connection to vehicle wiring



SPECIFICATIONS

- Wire Material: GPT
- Wire Gauge: 3-16 GA
- Connection Type:
3-Way Hard Shell
- Length: 10"
- # of Wires: 3

OBD Tracker



Size:

- 65 mm x 53 mm x 26 mm
- 2.6" x 2.1" x 1"

OBD Passenger Vehicle Tracker

FEATURES

- 4G GPS tracker; wider coverage than 3G models
- Plugs into your vehicle's OBDII diagnostic port under the dash
- Out-of-the-box deployment
- Compact size
- Suitable for most passenger vehicles built after 1996
- In-vehicle placement for security

DATA TRANSMISSION

- Real-time tracking with breadcrumb trail
- Default update interval: every minute when moving
- Optional update interval: every 5 minutes when moving